



[Stirring up the next ATX revolution]

SPECIAL FEATURES

- Revolutionary 90 degrees motherboard mounting
- Natural airflow layout with positive pressure design
- Dual 180mm silent fans included
- RADsupport included for optional liquid cooling
- Flexible drive storage options with hot-swappable SATA adapter




Quick-release latch for fast side panel removal

Equipped with SilverStone OEM Aero Slots to improve graphics card cooling

Top 120mm exhaust fan with reduced noise to complement overall airflow

Dedicated slots and tabs for cable management

Bottom vent for optional power supply placement to isolate airflow



Top stealth mounted I/O ports for quick and convenient access

Revolutionary 90 degrees motherboard mounting enables stack effect for natural heat convection

All black outer design combined with sliding front door prevents components from affecting the exterior styling of RV01

Push button 5.25" drive bay locks for tool-free assembly

Six removable hard drive trays with vibration dampening mounts and hot-swap capability (one CP05 hot-swap SATA adapter included)

Designed for RV01's positive pressure layout, two 180mm intake fans are fitted for unprecedented cooling performance and quietness

SPECIFICATIONS:

Model	Material	Motherboard	Driver Bay	Cooling System	Front I/O Port	Dimension
SST-RV01B (black)	Reinforced plastic outer shell, 0.8mm SECC body	SSI EEB, SSI CEB, Extended ATX, ATX, Micro ATX	Exposed	5.25" x 5	Bottom 2 x 180mm intake fan, 700rpm, 18dBA Top 1 x 120mm exhaust fan, 950rpm, 18dBA	USB2.0 x 2 IEEE 1394 x 1 Audio x 1 MIC x 1
SST-RV01B-W (black + window)			Internal	3.5" x 6		



Top 120mm exhaust fan tuned for quietness




Twin knobs locking system for top panel cover



Side panel intake vents



Removable power supply fan filter



Top cover with exhaust vents



Top mounted stealth front I/O ports



Top mounted power and reset buttons



Elegant matte-finished front door



FEATURE PHOTOS
RV01

The mission for SilverStone's RAVEN team is to design products with styling and features that exceed classic originals in boldness and intention. So a brief look at the first RAVEN chassis, the RV01, one can easily see that the mission was accomplished with spectacular results. The RV01's stealth fighter inspired outer shell is styled aggressively but with a small hint of SilverStone's famed reservation by the use of only matte finish.

This gives RV01 an unmistakable wow factor and a look that will remain pleasing for years to come. For the interior, a revolutionary layout was utilized to take advantage of a very simple natural phenomenon – heat rise, by rotating the motherboard 90 degree for air to rise up more smoothly over graphics card area. Equipped with dual 180mm fans and a 120mm fan, the RV01's has excellent cooling potential with its factory tuning perfectly balanced between performance and quietness. If there is a breakthrough chassis to be had for several generations of components upgrade, the RAVEN RV01 is definitely the one.



Graphic card length reference:

NVIDIA Quadro FX5600 / AMD FireGL V8600/8650 - 12"
NVIDIA GeForce GTX280/260 - 10.5"
NVIDIA GeForce 9800GTX/9800GTX+ - 10.5"
AMD Radeon HD 4870X2 - 10.5 "
NVIDIA GeForce 9800GT/9600GT/GTO - 9"
AMD Radeon HD 4870/4850 - 9 "

Remark

To enable SATA hot-swap function, you must have the following:

Install SATA hard drive into drive holder with CP05
Use motherboard or SATA card with AHCI function
Enable AHCI function (please refer to your motherboard or SATA card manual)
When installing OS (Windows XP SP2 or Vista), SATA drivers should be pre-loaded
Get a SST-CLEARCMOS add-on to conveniently clear CMOS without opening the case



SST-CP05



SST-CLEARCMOS