

Audio Technica ES925 Modular Gooseneck Systems

Audio Technica's range of ES925 Modular Gooseneck Microphones have been designed for maximum flexibility. Available as complete packages these systems can be easily scaled up and down to match your specification due to their large range of components.

Each system is made up of 3 components , a capsule (windshield included), a gooseneck length and a power module.

In this guide we will walk you through each component and the variety of options you have to create a system perfect for your application.

Contents

Audio Technica ES925 Modular Gooseneck Systems	1
Choose Your Capsule.....	2
Choose Your Gooseneck Length	3
Choose Your Base	4
Windscreens	5
Product Code Explained	6
Your Final System	7



Choose Your Capsule

Choose from 3 different microphone elements to create the perfect mic for your application: **Cardioid**, **Hypercardioid** & **MicroLine**.

Each capsule is supplied with a windscreen (See page 5)

ESE-Ca

Cardioid

Product Code Symbol: C



ESE-Ha

Hypercardioid

Product Code Symbol: H



ESE-MLa


MicroLine

Product Code Symbol: ML



Choose Your Gooseneck Length

Choose from a range of 6 Gooseneck lengths to make sure your mic is the perfect distance to the speaker: 6", 12", 15", 18", 21" & 24"



Choose Your Base

Choose from a range 4 Different base options to perfectly match your application: 3-pin XLR, 3-pin Flush-mount, 5-pin Flush-mount & a 5-pin Desk Stand.

The desk stand and flush mount standing options both feature RGB LED colour indication making life super-easy and intuitive for the user.

The 5-pin XLR bases allow you to take advantage of local and remote switching to make your system as seamless as possible.

ES8544

3-pin XLR

Product Code Symbol: XLR



ES8755R

3-pin Flush-mount

Product Code Symbol: FS3



ES8755RC

5-pin Flush-mount

Product Code Symbol: FS5



ES8766RC

5-pin Desk Stand

Product Code Symbol: DS5



Windscreens

A windscreen is included with all ES925 systems.

A windscreen is included with all ESE microphone capsules.

A transparent plastic ring on the windscreen allows the LED from the ES925 gooseneck to pass through.

AT8109a

Windscreen for cardioid and hypercardioid capsule




AT8109a

Windscreen for MicroLine capsule



Product Code Explained

An ES925 full system with a Cardioid capsule (**C**), 21" gooseneck (**21**) and a 3-pin Flush-mount (**FS3**) will be illustrated with the product code: **ES925C21/FS3** or simply **ES925C21FS3**



Your Final System

We've done all the hard work by only offering you full ES925 systems so you'll have the peace of mind you're not missing a component.

