Mackie EM-CARBON Specs

Microphone

Primary Applications	Studio Recording, Podcast, Web-Streaming, Conferencing
Form Factor	Desktop / Stand/Boom Mount
Intended Sound Sources	Vocals, Speech/Voice Over, Instrument
Sound Field	Mono, Stereo
Capsule	Condenser
Diaphragm	0.6" / 14 mm
Polar Pattern	Cardioid, Figure-8, Omnidirectional, Supercardioid
Pattern Selection	Switched
Orientation	Side Address
Circuitry	Solid-State
Pad	None
High-Pass Filter	None
Tone Adjustment	None
Gain Adjustment	Yes

On-Board Controls	Gain/Sensitivity, Headphone Volume, Mic Mute, Polar Pattern
Windscreen	None

Performance

Frequency Range	20 Hz to 20 kHz
Sensitivity	-37 dB at 1 kHz
Signal-to-Noise Ratio	100 dB

Connectivity

Output Connectors (Digital)	1 x USB Type-C
Headphone Connector	1 x 1/8" / 3.5 mm

Digital Audio

A/D Conversion	16-Bit
Sample Rate	48 kHz
Operating System Support	Windows, macOS/OS X

Power

Bus Power USB

Physical

Color	Black
Mounting	5/8"-27 Female (via Integrated Hardware) Desktop Stand (Included)
Dimensions	H: 11.3 x W: 3.8" / H: 287 x W: 96.5 mm
Weight	2 lb / 0.9 kg