## **Quick Specs**

## **Device Type**

**LED** 

## **Panel Type**

IPS (In-Plane Switching)

## **Aspect Ratio**

16:09

#### **Native Resolution**

1920 x 1080 at 60 Hz

## **Pixel Pitch**

0.2745 mm x 0.2745 mm

## **Brightness**

250 cd/m<sup>2</sup> (typical)

## **Contrast Ratio**

1000: 1 (Typical)

## **Response Time**

5 ms gray to gray in Extreme mode

## **Color Support**

16.7 Million colors

## **Input Connectors**

1 X VGA, 1 X DisplayPort 1.2

## **Display Position Adjustments**

Tilt (-5° to 21°)

## **Screen Coating**

Anti-Glare

## Dimensions (WxDxH) - with stand

6.73 inches x 21.76 inches x 16.55 inches

## **Product Description**

Dell 24 Monitor - E2422H

## **Diagonal Size**

60.47 cm 23.8 Inches

## **Features**

NA

## Weight

5.50 kg (12.13 lb)

## **Compliant Standards**

## See less

## General

## **Display Type**

LED-backlit LCD monitor / TFT active matrix

## **Diagonal Size**

24"

## Viewable Size

23.8"

## **Panel Type**

**IPS** 

## **Aspect Ratio**

16:9

## **Native Resolution**

Full HD (1080p) 1920 x 1080 at 60 Hz

## **Pixel Pitch**

0.2745 mm

## **Pixel Per Inch**

93

## **Brightness**

250 cd/m<sup>2</sup>

## **Contrast Ratio**

1000:1 / 1000:1 (dynamic)

## **Color Support**

16.7 million colors

## **Response Time**

8 ms (gray-to-gray normal); 5 ms (gray-to-gray fast)

## **Horizontal Viewing Angle**

178

## **Vertical Viewing Angle**

178

## **Screen Coating**

Anti-glare

## **Backlight Technology**

LED backlight

#### **Features**

72% (CIE 1931) color gamut, 83% (CIE 1976) color gamut, Wide Viewing Angle

## **Dimensions (WxDxH)**

21.8 in x 6.7 in x 16.5 in - with stand

## Connectivity

#### **Interfaces**

- DisplayPort (DisplayPort 1.2 mode)
- VGA

## Mechanical

## **Display Position Adjustments**

Tilt

## Tilt Angle

-5/+21

## **VESA Mounting Interface**

100 x 100 mm

## **Miscellaneous**

#### **Features**

Security lock slot (cable lock sold separately), VESA interface support

#### **Cables Included**

1 x Power cable

1 x DP cable

1 x VGA cable (EMEA only)

## **Power**

## Input Voltage

AC 100-240 V (50/60 Hz)

## **Power Consumption (On mode)**

16 W

## **Power Consumption Stand by**

0.3 Watt

## **Power Consumption (Off Mode)**

0.3 Watt

## On / Off Switch

Yes

# **Dimensions & Weight**

## **Dimensions & Weight Details**

- With stand width: 21.8 in depth: 6.7 in height: 16.5 in
- Without stand width: 21.8 in depth: 2 in height: 13.1 in weight: 7.1 lbs

# **Dimensions & Weight (Shipping)**

## **Shipping Weight**

12.13 lbs

## **Environmental Standards**

## **EPEAT Compliant**

**EPEAT Gold** 

## **ENERGY STAR Certified**

Yes

# **Manufacturer Warranty**

## **Bundled Services**

3 years Advanced Exchange Service and Limited Hardware Warranty

## **Environmental Parameters**

# Min Operating Temperature

32 °F

## **Max Operating Temperature**

104 °F

## **Humidity Range Operating**

10 - 80% (non-condensing)