Universal Audio VOLT 476 Specs

Form Factor	Tabletop
Display	8 x Multi-Segment LED Meter
Channels of I/O	Analog: 4 Inputs / 4 Outputs
Max Sample Rate/Resolution	192 kHz / 24-Bit
Number of Mic Preamps	2
Input Level Adjustment	2 x Knob
Expansion Slots	None

Signal Processing

Pad	None
High-Pass Filter	None
Solo/Mute	None

Connectivity

Mic/Line/Hi-Z Input (Front Panel)
2 x 1/4" TRS Balanced Line Input
2 x 1/4" TRS Balanced Monitor Output
4 x 1/4" TRS Balanced Line Output
1 x 1/4" TRS Unbalanced Headphone Output (Front
Panel)

Phantom Power	48 V, Selectable On/Off (Applied to All Inputs)
Digital Audio I/O	None
Host Connection / USB	1 x USB Type-C (USB 2.0)
USB (Non-Host)	None
Sync I/O	None
Network I/O	None
MIDI I/O	1 x DIN 5-Pin Input 1 x DIN 5-Pin Output
Wireless Connectivity	None

Digital Audio

Sample Rates	Up to 192 kHz
Sample Rate Conversion	None
Bit Depths	24-Bit
Latency	Zero-Latency Direct Monitoring

Sync Sources Internal

Audio Storage & Playback

Memory Card Slot

None

Compatibility

OS Compatibility macOS 10.14 or Later

Windows 10 (64-Bit) iOS 14 or Later iPadOS 14 or Later

Included Software Ableton Live Lite

Compatible Software (Not Included)

Any Core Audio (Mac) Compliant Software

Included Plug-Ins **Delay:**

Softube Tube Delay

Dynamics:

Softube Drawmer S73 Intelligent Master Processor

Guitar & Bass:

Softube Marshall Plexi Classic Amp

Ampeg SVT-VR Classic

Harmonic & Tape:

Softube Saturation Knob

Special Processing:

Brainworx bx masterdesk Classic

Reverb & Room:

Relab LX480 Essentials

Softube TSAR-1R Reverb

Tuning:

Celemony Melodyne Essential

Brainworx bx_tuner

Virtual Instruments:

UJAM Virtual Drummer DEEP

UJAM Virtual Bassist DANDY Spitfire LABS

Required for Registration, Software/Driver Download

Processor Requirement	Mac: Intel Apple M1 PC: Intel AMD	
Mobile Device Compatibility	iPad Pro iPad iPhone	
Required Hardware	Available USB 2.0 Port USB Cable (Included)	

Power

Internet Connection

Power Requirements	AC/DC Power Adapter (Included)
AC/DC Power Adapter	5 VDC (Included)

Physical

Anti-Theft Features	Kensington Security Slot

Packaging Info

Package Weight

3.465 lb

Box Dimensions (LxWxH)

10.5 x 7.1 x 5.5"