Print

| Print speed | Colour: up to 33 ppm Black: up to 33 ppm |
|----------------------------------|--|
| Two-sided output | Standard |
| Recommended monthly print volume | Up to 6,000 pages |
| Duty cycle | Up to 80,000 images/month ^① |
| Processor speed | 1.2 GHz |
| Print memory (standard) | 2 GB standard |
| Connectivity | Ethernet 10/100 BaseTX, Gigabit Ethernet, Hi Speed USB 2.0 (Type A - Thumbdrive), Hi Speed USB 2.0 (Type B), Wireless 802.11 b/g/n |
| Maximum print resolution | 1200 x 1200 dpi, 4800 Colour Quality |
| First-page-out time, printing | As fast as 7.9 seconds black and white / 8 seconds colour |
| Page Description Languages (PDL) | PCL® 5/6, PostScript® 3, XPS |
| Print features | Booklet Layout, Collation, Draft Mode, Duplex, Earth Smart Settings, N-up, Normal, Secure, Saved and Sample Set Job Types, One Touch UI, Orientation, Print Job ID in Margins, Print Quality, Rotate Image 180 degrees, Saved Settings, Tray and Toner Status, Watermark |
| Mobile printing | <u>Apple[®] AirPrint</u> [™] , <u>Chromebook</u> <u>Printing</u> , <u>Mopria</u> <u>Print Service</u> , Wi-Fi Direct |
| OS support | Windows Server 2008 R2 SP1, Windows Server 2012, Windows Server 2012 |

Copy

| Maximum copy resolution | 600 x 600 dpi |
|--|---|
| First- page-out time, copying | As fast as 8.2 seconds black and white / 9.1 seconds colour |

Scan

| Scan destinations | Email, FTP, Network or USB connected computer, Front-side USB drive, Windows Network folder |
|---------------------------------|---|
| Scan file formats | BMP, JPEG, Non-searchable PDF, TIFF, XPS |
| Scan resolution (optical) | 600 x 600 dpi |

Fax

| Fax features | Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Fax Address Book, Fax Forward, Junk Fax Filter |
|-----------------|--|
| Fax compression | MH/MR/MMR/JBIG/JBIG2/JPEG |

Media Handling

| Paper | Tray (Main tray): 250 sheets Tray (Manual feed slot): 1 sheets |
|----------------|--|
| Paper capacity | Tray (Multipurpose Feeder) (optional): 100 sheets |
| capacity | |
| | Tray (550-sheet Feeder) (optional): 550 sheets |
| Danar | Tray (Main tray): Custom sizes: 98 x 148 mm to 216 x 356 mm |
| Paper | Tray (Manual feed slot): Custom sizes: 148 x 210 mm to 216 x 356 mm |
| size | Tray (Multipurpose Feeder) (optional): Custom sizes: 76 x 127 mm to 216 x 356 mm |
| | |
| Output | 120 sheets |
| capacity | |
| | Disir Dance Light Dance Harry Dance Coul Otask Lakela (Dance Lakela) |
| Media | Plain Paper, Light Paper, Heavy Paper, Card Stock, Labels (Paper Labels), |
| types | Envelopes, Colored Paper, Letterhead, Preprinted, Bond, Glossy, Rough/Cotton, |
| -3 p = 0 | Recycled |
| | |

Security

| | Access Controls, Auto-insertion of Sender's Email Address, Certificate Management, |
|----------|--|
| Security | Confidential Print, Digitally Signed Firmware Updates, Fax/Network Separation, Login |
| features | Restrictions, Non-Volatile Memory Wipe, Port Filtering, Protected USB Ports, Secure |
| | Password Reset, TCP Connection Filtering |
| | |

Dimensions

| Minimum dimensions (WxDxH) | 442 x 588 x 462 mm |
|----------------------------------|--------------------|
| Weight | 27.1 kg |