DISPLAY Panel Technology IPS TFT with W-LED backlight Screen Size [inch/cm] 24 / 60 Screen Aspect Ratio 16:9 Pixel Pitch [mm] 0.275 Brightness (typ.) [cd/m²] 250 Contrast Ratio (typ.) 1000:1 Viewing Angle [°] 178 horizontal / 178 vertical (typ. at contrast ratio 10:1) Response Time (typ.) [ms] 6 Colours [Mio.] 16.77 SYNCHRONISATION RATE Horizontal Frequency [kHz] 31.5 - 81.1 Vertical Frequency [Hz] 56 - 76 **RESOLUTION** Optimum Resolution 1920 x 1080 at 60 Hz CONNECTIVITY Digital 1 x DisplayPort; 1 x HDMI; USB ver. 3.1 (3 down / 1 up) Analog 1 x VGA

Power Consumption on Mode [W] 16 (Eco Mode 1); 18 (typ.); 28 (max.) Power Savings Mode [W] 0.29 **Power Supply** integrated power supply **ENVIRONMENTAL CONDITIONS** Operating Temperature [°C] +5 to +35 Operating Humidity [%] 20 to 80 **ERGONOMICS** Height adjustable stand [mm] 110 Screen Tilt [°] -5 to 25 Screen Swivel [°] 45 to -45 Screen Rotate [°] -90 to 90 (landscape to portrait mode) **MECHANICAL** Bezel Width [mm] 1 (left and right); 1 (top) Dimensions (W x H x D) [mm] 538.6 x 373.9 - 483.9 x 213.9 (Landscape mode) Weight [kg] With stand: 5.5 VESA Mounting [mm] 100 x 100 ADDITIONAL FEATURES **Special Characteristics**

DisplayPort; EcoModes

Colour Versions

Black Front Bezel, Black Back Cabinet; White Front Bezel, White Back Cabinet

Cable Management

yes

Kensington security slot

yes

Plug and Play

VESA DDC2Bi

Audio

1W + 1W (De-activateable); Headphone Jack

Adjust Functions

Auto Adjust; Brightness; Carbon Footprint Meter / Carbon Savings Meter; DV Mode; EcoMode; Language Select

Shipping Content

DisplayPort Cable; Power Cable; Setup Guide; USB Cable; VGA-VGA Cable

Safety and Ergonomics

CE; EnergyStar 8.0; Flicker-free; Low Blue Light; RoHS; TCO 8.0; TÜV Ergonomics; TÜV GS; WEEE

Warranty

3 years warranty incl. backlight; optional 4th to 5th year warranty extension

GREEN FEATURES

Energy Efficiency

Carbon Footprint Meter / Carbon Savings Meter; ECOMode; Energy consumption: 10 kWh/1000 h; Energy efficiency class: C

Ecological Standards

Energy Star 8.0; RoHS compliant; TCO 8.0; WEEE