



DMInteract[®]

SMART INTERACTIVE FLAT PANELS

C-Series 4K Resolution Zero Bonding Technology
48MP Ai Functions Built-in Camera, Microphone, NFC, Fingerprint
Sensor, Android 14

Available Sizes: 55", 65", 75", 86", 98" & 110"

DMInteract[®]

SPECIFICATIONS OF C-SERIES

INTERACTIVE FLAT PANEL

Brand Name:	DMInteract
Model Number:	DM-55C DM-65C DM-75C DM-86C DM-98C DM-110C
Type Of Product:	Interactive Flat Panel
Available Sizes:	55", 65", 75", 86" 98" & 110"
Screen Spacing:	Zero Bonding
Back light:	D-LED
Resolution:	3840 x 2160 (4K)
Contrast Ratio:	1200:01:00
Response Time:	≤8ms
Refresh Rate:	60Hz
Built-in Camera:	48MP x 1
Built-In Mic Speakers:	8 Array Mic 15W x 2 Speakers
Visual Angle:	178°(H) 178°(V)

DMInteract®

SPECIFICATIONS OF C-SERIES

INTERACTIVE FLAT PANEL

Touch Technology	Infrared Multi Touch Technology
Touch Points	20 points touch
Drive	HID drive free
Writing Surface Material	4mm Anti glare glass
Touch Screen Sensor Mode	Finger, writing pen, hand with gloves or other non transparent touch sensitive medium
Communication Port	USB 2.0
Min Recognition Dim	2mm
Touch Accuracy	±1mm
Anti-Interference	Incandescent lamp (220V, 100W), vertical distance 350mm above, The illumination intensity of the sun is up to 80000Lux
Calibration	Calibration free
Touch Times	More than 60 million times in the same position
Touch Power supply Mode	USB 5.0V power supply

DMInteract[®]

SPECIFICATIONS OF C-SERIES

INTERACTIVE FLAT PANEL

Android Frequency	8 core ARM Cortex-A55
System Version	Android 14
Memory	DDR4 8G
FLASH	128G
WIFI	2.4G
Transmission screen WIFI	5G
Bluetooth	5.0
BACK PORT	
Input	LAN IN-1 HDMI 2.0-1 RS-232-1 USB 3.0-1 VGA IN-1 Audio IN-1 DP IN-1 MIC IN-1 TF-card-1 USB 2.0-1
Output	Earphone-1 HDMI OUT-1 LAN OUT-1 Coaxial (RCA)-1 TOUCH OUT-1
FRONT PORT AND FUNCTION	
USB3.0-3 HDMI 2.0-1 Type-C-1 Power Button On/Off-1	
ACCESSORIES	
Magnetic whiteboard Pen X1pc, Wall-Mount Bracket X1set, Power Cord X1pc, Remote Control X1pc,WiFi antenna X 4pcs	

SPECIFICATIONS OF C-SERIES

Brand Name:	DMInteract®					
Model Number:	DM-55C	DM-65C	DM-75C	DM-86C	DM-98C	DM-110C
Diagonal Size:	55"	65"	75"	86"	98"	110"
Bezel Color:	Aluminum Frame (Black Color)					
Panel Type:	Ultra HD Direct Type LED					
Active Area (mm):	1428.48(H) x 803.52(V)	1428.48(H) x 803.52(V)	1650.24(H) x 928.26(V)	1895(H) x 1066(V)	2158.85(H) x 1214.35(V)	2436.48(H) x 1370.52(V)
Resolution:	4K (3840 × 2160) / 60Hz (Support: 8K Video Decoding)					
Pixel Pitch:	0.372mm × 0.372mm	0.372mm × 0.372mm	0.429mm × 0.429mm	0.5622mm × 0.5622mm	0.6435mm × 0.6435mm	0.6354mm x 0.6354mm
Glass Hardness:	Mohs-7 Level					
Glass Panel:	Anti-Glare Glass With Zero Bonding Technology					
Net Weight:	35KG	37KG	50.6KG	66KG	87.1kg	113.1KG
Gross Weight:	46KG	45.75KG	62KG	82KG	111kg	144KG
Product Dimension (mm):	1268.1 × 814.5 × 115.6mm	1485.2 x 905.7 x 88.3mm	1707.6 x 1030.9 x 88.3mm	1953.56 x 1177.9 x 88.3mm	2220 x 1324 x 105.7mm	2500.8 x 107.9 x 1477.51mm
Package Dimension (cm):	1428 × 922 × 225mm	1600 x 1030 x 200cm	1855 x 1170 x 200cm	2095 x 1320 x 220cm	2358x1485x280cm	2665 x 298x 1595mm

SPECIFICATIONS OF C-SERIES

Brand Name:	DMInteract®					
Model Number:	DM-55C	DM-65C	DM-75C	DM-86C	DM-98C	DM-110C
Diagonal Size:	55"	65"	75"	86"	98"	110"
PC Option						
Panel Type:	Mainboard: H81/H110/H310 Input Voltage: 18V DC Rated Output Current: 5A Peak Output Current: 6A Rated Load Power: 90W Interface: Canforms to Intel® OPS-C JAE 80-pin connector National standard OPS size: L194.6*W179.8*H42mm (42mm or 30mm) European standard OPS size: L180*W119*H30mm					



SMART INTERACTIVE FLAT PANELS

C-Series 4K Resolution Zero Bonding Technology

48MP Ai Functions Built-in Camera, Microphone, NFC, Fingerprint Sensor, Android 14

Available Sizes: 55", 65", 75", 86", 98", & 110"



SPECIAL OFFER

ORDER NOW



www.dminteract.com



www.dubaimachines.com

DEALER ADDRESS:

Showroom G-02, IT Plaza, Dubai Silicon Oasis, Dubai, United Arab Emirates

CANADA OFFICE:

DMInteract Inc 801 Dundas Street East, Unit #D6, Mississauga, Ontario, L4Y 4G9

CONTACT NUMBER:

+971-4-3360300 - (Dubai Office)
437-880-7712 - (Mississauga Office)

EMAIL ADDRESS:

info@dminteract.com