QuickSpecs

HP offers a wide variety of rack accessories that help you to configure HP Racks. For more information go to <a href="http://www.hp.com/products/racks">http://www.hp.com/products/racks</a> or <a href="http://www.hp.com/p

HP 10000 Series Rack Cable Trays	
Rack Top Cable Tray, 600W	383982-B2
Rack Top Cable Tray, 800W	383983-B21
Rack to Rack Adjustable Cable Tray, Aisle Transfer Bridge	383984-B21
NOTE: The Aisle Transfer bridge allows for cabling trays to be connected even across different aisles in the	
datacenter.	
<b>NOTE:</b> These kits mount on the top of the 9000 and 10000 Series rack (except the \$10614 rack). Kit color is graphite.	
HP Rack 10000 Series, HP Rack 10000 G2 Series Rack Extension Kits	
10636 G2 Rear Extension Kit (155mm)	AF060A
10642 G2 Rear Extension Kit (155mm)	AF058A
NOTE: Compatible with 10000 and 10000 G2 Series racks. Extends the rack 155mm for ideal cable management and adding Dual Rack Mounted PDU.	
HP 110V/220V Rack Light Kit	
110V/220V Rack Light Kit	361589-B21
NOTE: Supports HP Rack 10000 Series and HP Rack 10000 G2 series. This neon light kit is mounted on the rac	ck
roof and used to provide light to the rear section of the rack.	
Technical Specifications Rated Input 100-240 VAC 50-60 Hz	
Max Rated Output 9A / 240VAC	
Power Consumption 27W	
HP Rack Securing Kit	
	A E O 7 ( A
600W 10000 G2 Rack Tie Down	AF076A
600W 10000 G2 Rack Tie Down NOTE: For HP 10000 G2 Series only. The tie down kit is used to secure the rack to the datacenter floor. NOTE: The Rack Tie Down Kit is not a Zone 4 tested product.	AF076A
NOTE: For HP 10000 G2 Series only. The tie down kit is used to secure the rack to the datacenter floor. NOTE: The Rack Tie Down Kit is not a Zone 4 tested product.	AF076A
NOTE: For HP 10000 G2 Series only. The tie down kit is used to secure the rack to the datacenter floor. NOTE: The Rack Tie Down Kit is not a Zone 4 tested product. HP 2U Universal Locking Drawer	
NOTE: For HP 10000 G2 Series only. The tie down kit is used to secure the rack to the datacenter floor. NOTE: The Rack Tie Down Kit is not a Zone 4 tested product. HP 2U Universal Locking Drawer HP 2U Universal Locking Drawer (WW) NOTE: This product mounts on HP 10000 Series and HP Rack 10000 G2 series racks with sliding rails and is used to store CD's, Instruction manuals, tools, and any other item that is frequently used at the rack. Drawer	AF076A 361591-B21
NOTE: For HP 10000 G2 Series only. The tie down kit is used to secure the rack to the datacenter floor. NOTE: The Rack Tie Down Kit is not a Zone 4 tested product. HP 2U Universal Locking Drawer HP 2U Universal Locking Drawer (WW) NOTE: This product mounts on HP 10000 Series and HP Rack 10000 G2 series racks with sliding rails and is	
NOTE: For HP 10000 G2 Series only. The tie down kit is used to secure the rack to the datacenter floor. NOTE: The Rack Tie Down Kit is not a Zone 4 tested product. HP 2U Universal Locking Drawer HP 2U Universal Locking Drawer (WW) NOTE: This product mounts on HP 10000 Series and HP Rack 10000 G2 series racks with sliding rails and is used to store CD's, Instruction manuals, tools, and any other item that is frequently used at the rack. Drawer	



#### QuickSpecs

#### HP Flat Panel Monitor-Rack-mount HP TFT7210R 17 inch Rack-mount Flat Panel Monitor 348373-B21 NOTE: This product is the second generation 1U retractable TFT flat panel monitor. It provides a full 17" viewing screen when needed and tucks away in only 1U of rack space when not being used. The product has been designed to allow a switchbox to mount behind it on the rails - further maximizing rack space. Monitor/Utility Shelf Monitor/Utility Shelf (Graphite) 253449-B21 100 Kg Sliding Shelf Kit 234672-B21 NOTE: The Monitor/Utility Shelf is a fixed shelf and can be mounted at any height to place a monitor or another component within the rack. It has a maximum weight capacity of 150 lb (68 kg) . HP 1U Rackmount Keyboard with USB 1U Rackmount Keyboard with USB US AG072A NOTE: HP's second generation rackmount keyboard combines a full size keyboard with touch pad in a 1U format with room to mount an HP KVM Switch behind it. The 1U Rackmount Keyboard includes a three button touch pad, 4 scroll keys, and Windows shortcut keys. The 1U Rackmount Keyboard also provides PS2 and USB connectivity and a USB port on the front of the keyboard for USB pass through with compatible KVM switches TFT7600 Rackmount Keyboard and Monitor TFT7600 Rackmount Keyboard and Monitor US AG052A Depth Adjustable Fixed Rail Kit Depth Adjustable Fixed Rail Kit 332558-B21 NOTE: The kit contains two, 19" to 31", depth adjustable rails that mount HP rack-mountable servers, storage boxes, UPSs, and HP networking products in third-party racks. The Depth Adjustable Fixed Rail Kit also allows for most third-party, rack-mountable products to be mounted in HP Racks. The depth adjustable fixed rails have a maximum weight capacity of 300 lb (136 kg). Blanking Panel Kit (Carbon Graphite) 1U Universal Blanking Panel kit (100 panels) AF073A 1U Universal Blanking Panel kit (10 panels) AF072A NOTE: The blanking panels are made from high grade molded plastic, and are designed to be installed without tools. The use of blanking panels is recommended to ensure proper airflow. Sidewall Panel Kits 10642 G2 (42U) Side Panels (set of two) (Graphite Metallic) AF054A 10636 G2 (36U) Side Panels (set of two) (Graphite Metallic) AF056A 10647 G2 (47U) Side Panels (set of two) (Graphite Metallic) AF050A

NOTE: The 14U and 22U racks ship with side panels installed standard. Sidewall Panel Kits are optional for all other height racks.

NOTE: The side panels for the 10000 and 10000 G2 series rack are lockable.



QuickSpecs

<ul> <li>Rack Stabilizer Kits</li> <li>600mm G2 Stabilizer Option Kit (Graphite)</li> <li>600mm G2, Heavy Duty Stabilizer Option Kit (Graphite)</li> <li>600mm G2, Heavy Duty Stabilizer Option Kit (Graphite) V2</li> <li>600mm G2 Stabilizer Option Kit (Graphite)</li> <li>NOTE: All G2 Stabilizers are Supported by the Rack 10000 G2 series only.</li> <li>NOTE: The stabilizer kit is required for stand-alone 42U and 36U racks (order one kit per Rack). 10000 series stabilizer kits CAN NOT be used on the 9000 series racks.</li> <li>NOTE: The anti-tip stabilizer kits provide stability and support when equipment is installed, removed or accessed within the rack. The 600mm wide version is to be used with 10622, 10636, and 10642, and 10647 racks. The 800mm wide version is to be used only with the 10842 rack.</li> </ul>	AF062A AF064A AF065A AF066A
Rack Coupling Kits Rack Coupling Kit (Carbon) NOTE: Supported by both the Rack 10000 and Rack 10000 G2 series. Supports 24 in and 600 mm floor tile spacing. The kit is used to join two or more 10000 series racks of the same height together in minutes to create a multi-bay configuration.	248929-B21
Grounding Kit HP Rack Grounding Kit (Carbon) NOTE: Supported by the Rack 10000 and Rack 10000 G2 series.	AF074A
10000 G2 Series Front Doors HP 10636 G2 Front Door ALL (Carbon) HP 10642 G2 Front Door ALL (Carbon) NOTE: Kits may be retro-fitted to 10000 Series Racks. NOTE: All 10000 G2 Series Racks ship with a front door installed. This door option is for customers desiring to swap G1 with G2 doors.	AF019A AF009A
HP Monitored Power Distribution Unit - Full Rack Version HP 17.3 kVA S2324 Monitored PDU- dual input, 3U, 24A HP 8.3 kVA S1324 Monitored PDU- single input, 3U, 24A HP 16.6 kVA S2140 Monitored PDU- dual input, 1U, 40A	AF503A AF504A AF505A
HP Monitored Power Distribution Unit - Half Rack Version HP 17.3 kVA S348 Monitored PDU- single input, 3-phase, 60A HP 4.9kVA S124 Monitored PDU- single input, 1U, 24A	AF916A AF914A



QuickSpecs

### HP KVM Switch Options

2x1x16 IP Console Switch with Virtual Media	AF601A
4x1x16 IP Console Switch with Virtual Media	AF602A
2x16 Server Console Switch with Virtual Media	AF600A
PS/2 Virtual Media Interface Adapter, 1 pack	AF604A
NOTE: Requires PS/2 and one USB port on server.	
1X8-Port KVM Server Console Switch	336044-B21
2X16-Port KVM Server Console Switch	336045-B21
PS/2 Interface Adapter - 1 pack	262588-B21
PS/2 Interface Adapter - 8 pack	262587-B21
USB Interface Adapter - 1 pack	336047-B21
Serial Interface Adapter - 1 pack with power supply	373035-B21
NOTE: Cat5e cables are required to connect Interface Adapters to Console Switches. Cat5e cables can be found	
at the following URL: <u>http://www.hp.com/kvm</u>	
HP 1x 4 Server Console Switch (ALL)	AF611A
PS2 Server Console Cable, 6 ft, 2 pack	AF612A
USB Server Console Cable, 6 ft, 2 pack	AF613A
NOTE: For additional information regarding KVM switches, Serial Console servers, rack mount monitors,	
keyboards and all related options please see the following URL: <u>http://www.hp.com/go/kvm</u>	

#### HP Serial Console Server Options

HP 16 Port Serial Console Server	AF101A
HP 48 Port Serial Console Server	AF102A
Serial Adapter, RJ45-D89 DCE Female, 1 Pack	AF103A
Serial Adapter, RJ45-D89 DCE Female, 8 Pack	AF110A
NOTE: Cat5e cables are required to connect Interface Adapters to Console Switches. Cat5e cables can be found	
at the following URL: <u>http://www.hp.com/kvm</u>	
NOTE: For additional information regarding KVM switches, Serial Console servers, rack mount monitors,	
keyboards and all related options please see the following URL: <u>http://www.hp.com/go/kvm</u>	

#### HP Cable Management Kits

HP Hook and Loop Strips (50 pack)	379820-B21
Cable Management "D" Ring (10 pack)	168233-B21
NOTE: This kit consists of 10 "D" rings that can be used in addition to the rings that ship standard in the 10000 series and 10000 G2 series racks for cable management.	
Network Cable Management Kit	AF099A
NOTE: This kit provides an easy way to organize and route cables within HP Racks. Cable clips, cable rings, and	
1U and 2U access panels are included.	

### Service and Support Offerings (HP Care Pack Services)

Hardware Onsite Installation (Electronic)

U2871E



Service and Support, HP Care Pack, and Warranty Information

### Service and Support

Care Pack services provide a range of life cycle support options that let you choose the service levels that meet your business requirements, from basic to mission-critical.

A full range of HP Care Pack hardware and software services are available including:

- Installation and start up
- Education courses
- Extended onsite hardware coverage hours from same business day 13 hours, 5 day to 24 hours, 7 days call window with options including 4-hour response or 6-hour Call To Repair
- Comprehensive range of software technical support for Microsoft, Linux, ProLiant Essentials and VMwarebased IT solutions helping to deliver high level of application availability. Response times range from 30 mins for critical problems to 2 hours.
- System Management, Performance Services and Mission Critical Support Solution

**NOTE:** For more information on HP Care Pack services, contact any of our worldwide sales offices or resellers or visit our worldwide Web site on the internet at: http://www.hp.com/hps/carepack

NOTE: For more complete information on HP Services offerings, customers and resellers, please visit us at: http://www.hp.com/hps

**NOTE:** Additional information regarding worldwide limited warranty and technical support is available at: http://h18004.www1.hp.com/products/servers/platforms/warranty/index.html

**NOTE:** For additional information on Server Services, Rack and Power Options, please visit: http://h20219.www2.hp.com/services/cache/111072-0-0-225-121.html

**NOTE:** The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind.

**NOTE:** The warranties for HP products and services are set forth in the express limited warranty statements accompanying such products and services.

**NOTE:** Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

© Copyright 2007 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

